Vol. 131 - 140
Index
SEP 6-MAY 15

2003-2004

Available online at www.sciencedirect.com
SCIENCE DIRECT®
ELSEVIER
Discrete Applied Mathematics 140 (2004) 283–294
DISCRETE APPLIED MATHEMATICS
www.elsevier.com/locate/dam

Master index to volumes 131–140

Agnarsson, G., P. Damaschke and M.M. Halldórsson, Powers of geometric intersection graphs and dispersion algorithms	132 (2003)	3–16
Aguilera, N.E., S.M. Bianchi and G.L. Nasini, Lift and project relaxations for the matching and related polytopes	134 (2004)	193–212
Aigner, M., Variants of the majority problem	137 (2004)	3–25
Alekseev, V.E., On easy and hard hereditary classes of graphs with respect to the independent set problem	132 (2003)	17–26
Alekseev, V.E., Polynomial algorithm for finding the largest independent sets in graphs without forks	135 (2004)	3–16
Alekseev, V.E. and V.V. Lozin, Local transformations of graphs preserving independence number	135 (2004)	17–30
Alexe, G., P.L. Hammer, V.V. Lozin and D. de Werra, Struction revisited	132 (2003)	27–46
Aracena, J., J. Demongeot and E. Goles, Fixed points and maximal independent sets in AND–OR networks	138 (2004)	277–288
Asratian, A.S. and N.N. Kuzjurin, Two sensitivity theorems in fuzzy integer programming	134 (2004)	129–140
Averbakh, I. and V. Lebedev, Interval data minmax regret network optimization problems	138 (2004)	289–301
Ayala, R., E. Domínguez, A.R. Francés and A. Quintero, Digital homotopy with obstacles	139 (2004)	5–30
Balogh, E., see A. Kuba	139 (2004)	137–148
Bang Le, V.-B., see H.-O. Le	131 (2003)	199–212
Bang-Jensen, J. and A. Yeo, Making a tournament k-arc-strong by reversing or deorienting arcs	136 (2004)	161–171
Bang-Jensen, J. and S. Thomassé, Highly connected hypergraphs containing no two edge-disjoint spanning connected subhypergraphs	131 (2003)	555–559
Baril, J.-L. and V. Vajnovszki, Gray code for derangements	140 (2004)	207–221
Belleville, P., see J.M. Keil	140 (2004)	73–89
Bertrand, G., see C. Lohou	139 (2004)	171–195
Bianchi, S.M., see N.E. Aguilera	134 (2004)	193–212
Błażewicz, J., E. Pesch, M. Sterna and F. Werner, Open shop scheduling problems with late work criteria	134 (2004)	1–24
Bodlaender, H.L., R.B. Tan and J. van Leeuwen, Finding a Δ-regular supergraph of minimum order	131 (2003)	3–9
Boliac, R. and V.V. Lozin, An augmenting graph approach to the stable set problem in P_5-free graphs	131 (2003)	567–575
Bonsma, P., Sparsest cuts and concurrent flows in product graphs	136 (2004)	173–182
Borodin, O., Preface	135 (2004)	1–1
Borodin, O.V. and D.V. Loparev, Height of minor faces in plane normal maps	135 (2004)	31–39
Boros, E., K. Elbassioni, V. Gurvich and L. Khachiyan, An inequality for polymatroid functions and its applications	131 (2003)	255–281

doi: 10.1016/S0166-218X(04)00153-2

Boschetti, M.A., New lower bounds for the three-dimensional finite bin packing problem 140 (2004) 241–258
Bouchitté, V. and I. Todinca, Approximating the treewidth of AT-free graphs 131 (2003) 11–37
Bouchitté, V., D. Kratsch, H. Müller and I. Todinca, On treewidth approximations 136 (2004) 183–196
Brandstädt, A., (P_5,diamond)-free graphs revisited: structure and linear time optimization 138 (2004) 13–27
Brandstädt, A. and R. Mosca, On the structure and stability number of P_5- and co-chair-free graphs 132 (2003) 47–65
Brandstädt, A., C.T. Hoàng and V.B. Le, Stability number of bull- and chair-free graphs revisited 131 (2003) 39–50
Brandstädt, A., K. Engel, H.-D. Gronau and R. Labahn, Preface 138 (2004) 1–1
Brauner, N. and Y. Crama, The maximum deviation just-in-time scheduling problem 134 (2004) 25–50
Brešar Boštjan, W. Imrich and Sandi Klavžar, Fast recognition algorithms for classes of partial cubes 131 (2003) 51–61
Broersma, H., see U. Faigle 136 (2004) 159–160
Bruglieri, M., F. Maffioli and M. Ehrgott, Cardinality constrained minimum cut problems: complexity and algorithms 137 (2004) 311–341
Cai, L., The complexity of the locally connected spanning tree problem 131 (2003) 63–75
Canale, E.A. and J. Gómez, Superfluous edges and exponential expansions of De Bruijn and Kautz graphs 138 (2004) 303–331
Cappanera, P., G. Gallo and F. Maffioli, Discrete facility location and routing of obnoxious activities 133 (2003) 3–28
Cechlárová, K. and J. Hajduková, Stable partitions with $\mathscr{W}$-preferences 138 (2004) 333–347
Cechlárová, K. and S. Ferková, The stable crews problem 140 (2004) 1–17
Cemil Azizoğlu, M. and Ömer Eğecioğlu, The bisection width and the isoperimetric number of arrays 138 (2004) 3–12
Čenek, E. and L. Stewart, Maximum independent set and maximum clique algorithms for overlap graphs 131 (2003) 77–91
Chang, J.-M., Induced matchings in asteroidal triple-free graphs 132 (2003) 67–78
Chashkin, A.V., Average time of computing Boolean operators 135 (2004) 41–54
Chashkin, A.V., Computation of Boolean functions by randomized programs 135 (2004) 65–82
Chashkin, A.V., Local complexity of Boolean functions 135 (2004) 55–64
Chen, J., Y. Liu, S. Chen and S. Chen, Preface 136 (2004) 1–1
Chen, J., see H. Deng 140 (2004) 19–33
Chen, S., see J. Chen 136 (2004) 1–1
Chepoi, V. and F. Dragan, Finding a central vertex in an HHD-free graph 131 (2003) 93–111
Chernyak, A.A., Residual reliability of P-threshold graphs 135 (2004) 83–95
Chuangyin, D., see S. Erfang 136 (2004) 83–85
Cicalese, F., D. Mundici and U. Vaccaro, Preface 137 (2004) 1–2
Cieliebak, M., T. Erlebach, Z. Lipták, J. Stoye and E. Welzl, Algorithmic complexity of protein identification: combinatorics of weighted strings 137 (2004) 27–46
Cieslik, D., The Steiner ratio of high-dimensional Banach–Minkowski spaces 138 (2004) 29–34
Coeurjolly, D., Y. Gérard, J.-P. Reveillés and L. Tougne, An elementary algorithm for digital arc segmentation 139 (2004) 31–50
Cohen, G., S. Encheva, S. Litsyn and H.G. Schaathun, Erratum to "Intersecting codes and separating codes" [Discrete Applied Mathematics 128 (2003) 75–83] 131 (2003) 689–690
Cohen, M.B. and C.J. Colbourn, Ladder orderings of pairs and RAID performance 138 (2004) 35–46
Colbourn, C.J., see M.B. Cohen 138 (2004) 35–46
Confessore, G., P. Dell'Olmo and S. Giordani, Complexity and approximation results for scheduling multiprocessor tasks on a ring 133 (2003) 29–44
Connamacher, H.S. and A. Proskurowski, The complexity of minimizing certain cost metrics for k-source spanning trees 131 (2003) 113–127

Cordone, R. and F. Maffioli, On the complexity of graph tree partition problems 134 (2004) 51–65
Corneil, D.G., A simple 3-sweep LBFS algorithm for the recognition of unit interval graphs 138 (2004) 371–379
Corneil, D.G., see N. Pržulj 134 (2004) 239–261
Courcelle, B. and R. Vanicat, Query efficient implementation of graphs of bounded clique-width 131 (2003) 129–150
Crama, Y., see N. Brauner 134 (2004) 25–50
Crescenzi, P., G. Gambosi and P. Penna, On-line algorithms for the channel assignment problem in cellular networks 137 (2004) 237–266
Dahlhaus, E., P. Dankelmann, W. Goddard and H.C. Swart, MAD trees and distance-hereditary graphs 131 (2003) 151–167
Damaschke, P., Approximate location of relevant variables under the crossover distribution 137 (2004) 47–67
Damaschke, P., see G. Agnarsson 132 (2003) 3–16
Danilov, V.I., G.A. Koshevoy and C. Lang, Gross substitution, discrete convexity, and submodularity 131 (2003) 283–298
Dankelmann, P., see E. Dahlhaus 131 (2003) 151–167
de Werra, D., see G. Alexe 132 (2003) 27–46
de Werra, D., see V. Lozin 132 (2003) 1–2
Dell'Olmo, P., see G. Confessore 133 (2003) 29–44
Demongeot, J., see J. Aracena 138 (2004) 277–288
Deng, H., J. Chen, Q. Li, R. Li and Q. Gao, On the construction of most reliable networks 140 (2004) 19–33
Deng, X., see Y. Zhao 136 (2004) 3–11
Desai, M.P., H. Narayanan and S.B. Patkar, The realization of finite state machines by decomposition and the principal lattice of partitions of a submodular function 131 (2003) 299–310
Detti, P. and C. Meloni, A linear algorithm for the Hamiltonian completion number of the line graph of a cactus 136 (2004) 197–215
Dietzfelbinger, M., Gossiping and broadcasting versus computing functions in networks 137 (2004) 127–153
Dobrev, S. and I. Vrťo, Dynamic faults have small effect on broadcasting in hypercubes 137 (2004) 155–158
Domínguez, E., see R. Ayala 139 (2004) 5–30
Dragan, F., see V. Chepoi 131 (2003) 93–111
Durand, S., Finding sharper distinctions for conditions of transitivity of the majority method 131 (2003) 577–595
Eğecioğlu, Ömer, see M. Cemil Azizoğlu 138 (2004) 3–12
Eglese, R.W., M.G. Everett, C.N. Potts and V.A. Strusevich, Preface 133 (2003) 1–2
Ehrgott, M., see M. Bruglieri 137 (2004) 311–341
Elbassioni, K., see E. Boros 131 (2003) 255–281
El-Shanawany, R., H.-D.O.F. Gronau and M. Grüttmüller, Orthogonal double covers of $K_{n,n}$ by small graphs 138 (2004) 47–63
Encheva, S., see G. Cohen 131 (2003) 689–690
Engel, K., see A. Brandstädt (Guest Editors) 138 (2004) 1–1
Epping, Th., W. Hochstättler and P. Oertel, Complexity results on a paint shop problem 136 (2004) 217–226
Erfang, S., D. Chuangyin and K. Liying, A note on Nordhaus–Gaddum inequalities for domination 136 (2004) 83–85
Erlebach, T., see M. Cieliebak 137 (2004) 27–46
Everett, M.G., see R.W. Eglese 133 (2003) 1–2
Faigle, U., S. Pickl, H. Broersma and J. Hurink, Preface 136 (2004) 159–160
Fang, Q., On the computational complexity of upper total domination 136 (2004) 13–22
Farley, A.M., A. Proskurowski, D. Zappala and K. Windisch, Spanners and message distribution in networks 137 (2004) 159–171

Faudree, R.J., Z. Ryjáček and R.H. Schelp, On local and global independence numbers of a graph	132 (2003)	79–84
Favaron, O., Independence and upper irredundance in claw-free graphs	132 (2003)	85–95
Ferková, S., see K. Cechlárová	140 (2004)	1–17
Fernandez de la Vega, W. and M. Lamari, The task allocation problem with constant communication	131 (2003)	169–177
Fertin, G. and A. Raspaud, A survey on Knödel graphs	137 (2004)	173–196
Feschet, F. and L. Tougne, An approach for the estimation of the precision of a real object from its digitization	139 (2004)	51–63
Finbow, A., B. Hartnell, R. Nowakowski and M.D. Plummer, On well-covered triangulations: Part I	132 (2003)	97–108
Finocchi, I. and R. Petreschi, Divider-based algorithms for hierarchical tree partitioning	136 (2004)	227–247
Fiorini, S. and P. Fishburn, Facets of linear signed order polytopes	131 (2003)	597–610
Fishburn, P., see S. Fiorini	131 (2003)	597–610
Fleischer, L. and S. Iwata, A push-relabel framework for submodular function minimization and applications to parametric optimization	131 (2003)	311–322
Flocchini, P., E. Lodi, F. Luccio, L. Pagli and N. Santoro, Dynamic monopolies in tori	137 (2004)	197–213
Fomin, F.V., Searching expenditure and interval graphs	135 (2004)	97–104
Fomin, F.V. and D.M. Thilikos, On the monotonicity of games generated by symmetric submodular functions	131 (2003)	323–335
Fomin, F.V., D. Kratsch and H. Müller, Algorithms for graphs with small octopus	134 (2004)	105–128
Fourey, S., G.T. Herman, T.Y. Kong and A. Rosenfeld, Preface	139 (2004)	1–3
Fourey, S., T.Y. Kong and G.T. Herman, Generic axiomatized digital surface-structures	139 (2004)	65–93
Francés, A.R., see R. Ayala	139 (2004)	5–30
Frank, A., Restricted t-matchings in bipartite graphs	131 (2003)	337–346
Frank, A. and L. Szegő, Constructive characterizations for packing and covering with trees	131 (2003)	347–371
Frank, A. and T. Király, Combined connectivity augmentation and orientation problems	131 (2003)	401–419
Frank, A., T. Király and M. Kriesell, On decomposing a hypergraph into k connected sub-hypergraphs	131 (2003)	373–383
Frank, A., T. Király and Z. Király, On the orientation of graphs and hypergraphs	131 (2003)	385–400
Fu, T.-S. and K.-S. Lin, Lattice hypercube designs	131 (2003)	673–680
Fujishige, S., Foreword	131 (2003)	253–254
Gallo, G., see P. Cappanera	133 (2003)	3–28
Gambosi, G., see P. Crescenzi	137 (2004)	237–266
Gao, Q., see H. Deng	140 (2004)	19–33
Gao, X.-S., see J. Wang	136 (2004)	105–116
Garduño, E. and G.T. Herman, Optimization of basis functions for both reconstruction and visualization	139 (2004)	95–111
Ge, G. and A.C.H. Ling, A new construction for Z-cyclic whist tournaments	131 (2003)	643–650
Ge, G. and C.W.H. Lam, Whist tournaments with the three person property	138 (2004)	265–276
Gebremedhin, A.H., I.G. Lassous, J. Gustedt and J.A. Telle, Graph coloring on coarse grained multicomputers	131 (2003)	179–198
Gérard, Y., see D. Coeurjolly	139 (2004)	31–50
Gerber, M.U., A. Hertz and D. Schindl, P_5-free augmenting graphs and the maximum stable set problem	132 (2003)	109–119
Gerber, M.U., A. Hertz and V.V. Lozin, Stable sets in two subclasses of banner-free graphs	132 (2003)	121–136
Giammarresi, D., J.-L. Ponty, D. Wood and D. Ziadi, A characterization of Thompson digraphs	134 (2004)	317–337

Gimadi, E.Kh., N.I. Glebov and A.I. Serdyukov, On finding a cyclic tour and a vehicle loading plan yielding maximum profit	135 (2004)	105–111
Giordani, S., see G. Confessore	133 (2003)	29–44
Glebov, N.I., see E.Kh. Gimadi	135 (2004)	105–111
Goddard, W., see E. Dahlhaus	131 (2003)	151–167
Goles, E., see J. Aracena	138 (2004)	277–288
Golin, M.J., X. Yong, Y. Zhang and L. Sheng, New upper and lower bounds on the channel capacity of read/write isolated memory	140 (2004)	35–48
Gómez, J., see E.A. Canale	138 (2004)	303–331
Granot, D. and H. Hamers, On the equivalence between some local and global Chinese postman and traveling salesman graphs	134 (2004)	67–76
Grazia Speranza, M., see R. Mansini	134 (2004)	141–168
Grigorescu, E., The insulation sequence of a graph	134 (2004)	77–90
Grinchuk, M.I. and V.V. Kochergin, On the search of optimal order of variables in the synthesis of switching circuits by cascade technique	135 (2004)	113–123
Gronau, H., see A. Brandstädt (Guest Editors)	138 (2004)	1–1
Gronau, H.-D.O.F., D.L. Kreher and A.C.H. Ling, Super-simple $(v, 5, 2)$-designs	138 (2004)	65–77
Gronau, H.-D.O.F., see R. El-Shanawany	138 (2004)	47–63
Gropp, H., Configurations between geometry and combinatorics	138 (2004)	79–88
Grove Jørgensen, D., see S. Peyer	136 (2004)	271–298
Grüttmüller, M., Completing partial latin squares with prescribed diagonals	138 (2004)	89–97
Grüttmüller, M., see R. El-Shanawany	138 (2004)	47–63
Gülpinar, N., G. Gutin, G. Mitra and A. Zverovitch, Extracting pure network submatrices in linear programs using signed graphs	137 (2004)	359–372
Gurvich, V., see E. Boros	131 (2003)	255–281
Gustedt, J., see A.H. Gebremedhin	131 (2003)	179–198
Gutin, G., see N. Gülpinar	137 (2004)	359–372
Haanpää, H., A. Huima and P. Östergård, Sets in $\mathbb{Z}_n$ with distinct sums of pairs	138 (2004)	99–106
Hajduková, J., see K. Cechlárová	138 (2004)	333–347
Halldórsson, M.M., see G. Agnarsson	132 (2003)	3–16
Halman, N. and A. Tamir, Continuous bottleneck tree partitioning problems	140 (2004)	185–206
Hamers, H., see D. Granot	134 (2004)	67–76
Hammer, P.L., see G. Alexe	132 (2003)	27–46
Hanusse, N., E. Kranakis and D. Krizanc, Searching with mobile agents in networks with liars	137 (2004)	69–85
Hartmann, S. and U. Schumacher, Orthogonal double covers of general graphs	138 (2004)	107–116
Hartnell, B., see A. Finbow	132 (2003)	97–108
Hassin, R. and A. Levin, Minimum restricted diameter spanning trees	137 (2004)	343–357
Henning, M.A. and O.R. Oellermann, The average connectivity of a digraph	140 (2004)	143–153
Herman, G.T., see E. Garduño	139 (2004)	95–111
Herman, G.T., see H.Y. Liao	139 (2004)	149–170
Herman, G.T., see S. Fourey	139 (2004)	1–3
Herman, G.T., see S. Fourey	139 (2004)	65–93
Hertz, A., see M.U. Gerber	132 (2003)	109–119
Hertz, A., see M.U. Gerber	132 (2003)	121–136
Hoàng, C.T., S. Hougardy, F. Maffray and N.V.R. Mahadev, On simplicial and co-simplicial vertices in graphs	138 (2004)	117–132
Hoàng, C.T., see A. Brandstädt	131 (2003)	39–50
Hochstättler, W., see Th. Epping	136 (2004)	217–226
Hong, P. and T.S. Huang, Spatial pattern discovery by learning a probabilistic parametric model from multiple attributed relational graphs	139 (2004)	113–135
Hougardy, S., see C.T. Hoàng	138 (2004)	117–132
Huang, T.S., see P. Hong	139 (2004)	113–135
Huima, A., see H. Haanpää	138 (2004)	99–106
Hurink, J., see U. Faigle	136 (2004)	159–160

Il'ev, V., Hereditary systems and greedy-type algorithms 132 (2003) 137–148
Imrich, W., see Boštjan Brešar 131 (2003) 51–61
Iwata, S., see L. Fleischer 131 (2003) 311–322
Jagannathan, R., On polynomial complexity of a stochastic algorithm for mixed zero-one programs 134 (2004) 91–103
Jordán, T., On minimally k-edge-connected graphs and shortest k-edge-connected Steiner networks 131 (2003) 421–432
Kashiwabara, K. and T. Takabatake, Polyhedra with submodular support functions and their unbalanced simultaneous exchangeability 131 (2003) 433–448
Kashiwabara, K. and Y. Okamoto, A greedy algorithm for convex geometries 131 (2003) 449–465
Kaski, P. and P.R.J. Östergård, Enumeration of balanced ternary designs 138 (2004) 133–141
Katona, G.O.H., Strong qualitative independence 137 (2004) 87–95
Keich, U., M. Li, B. Ma and J. Tromp, On spaced seeds for similarity search 138 (2004) 253–263
Keil, J.M. and P. Belleville, Dominating the complements of bounded tolerance graphs and the complements of trapezoid graphs 140 (2004) 73–89
Kellerer, H. and V.A. Strusevich, Scheduling problems for parallel dedicated machines under multiple resource constraints 133 (2003) 45–68
Khachiyan, L., see E. Boros 131 (2003) 255–281
Király, T., see A. Frank 131 (2003) 373–383
Király, T., see A. Frank 131 (2003) 385–400
Király, T., see A. Frank 131 (2003) 401–419
Király, Z., see A. Frank 131 (2003) 385–400
Klavžar, Sandi, see Boštjan Brešar 131 (2003) 51–61
Klette, R. and A. Rosenfeld, Digital straightness—a review 139 (2004) 197–230
Kochergin, V.V., see M.I. Grinchuk 135 (2004) 113–123
Köhler, E., see N. Pržulj 134 (2004) 239–261
Kolpakov, R.M., Criterion of generativeness of sets of rational probabilities by a class of Boolean functions 135 (2004) 125–142
Kong, T.Y., see S. Fourey 139 (2004) 1–3
Kong, T.Y., see S. Fourey 139 (2004) 65–93
Korach, E. and U.N. Peled, Equistable series–parallel graphs 132 (2003) 149–162
Koshevoy, G.A., see V.I. Danilov 131 (2003) 283–298
Koster, A.M.C.A., see S.P.M. van Hoesel 133 (2003) 103–121
Kranakis, E., see N. Hanusse 137 (2004) 69–85
Kratsch, D., Preface 131 (2003) 1–1
Kratsch, D., see F.V. Fomin 134 (2004) 105–128
Kratsch, D., see V. Bouchitté 136 (2004) 183–196
Kreher, D.L., see H.-D.O.F. Gronau 138 (2004) 65–77
Kriesell, M., see A. Frank 131 (2003) 373–383
Krizanc, D., see N. Hanusse 137 (2004) 69–85
Kuba , A., A. Nagy and E. Balogh, Reconstruction of hv-convex binary matrices from their absorbed projections 139 (2004) 137–148
Kuzjurin, N.N., see A.S. Asratian 134 (2004) 129–140
Labahn, R., A.L. Liestman and E. Prisner, Preface 137 (2004) 125–126
Labahn, R., see A. Brandstädt 138 (2004) 1–1
Lam, C.W.H., see G. Ge 138 (2004) 265–276
Lamari, M., see W. Fernandez de la Vega 131 (2003) 169–177
Lang, C., see V.I. Danilov 131 (2003) 283–298
Lange, K., see M. Smid 139 (2004) 253–264
Lassous, I.G., see A.H. Gebremedhin 131 (2003) 179–198
Le, H.-O., V.-B. Bang Le and H. Müller, Splitting a graph into disjoint induced paths or cycles 131 (2003) 199–212
Le, V.B., see A. Brandstädt 131 (2003) 39–50
Lebedev, V., see I. Averbakh 138 (2004) 289–301
Lee, C.H., see Y. Zhao 136 (2004) 3–11
Levin, A., see R. Hassin 137 (2004) 343–357

Levit, V.E. and E. Mandrescu, Local maximum stable sets in bipartite graphs with uniquely restricted maximum matchings	132 (2003)	163–174
Li, M., see U. Keich	138 (2004)	253–263
Li, Q., see H. Deng	140 (2004)	19–33
Li, R., see H. Deng	140 (2004)	19–33
Li, W. and S. Ma, Limits of theory sequences over algebraically closed fields and applications	136 (2004)	23–43
Li, W., see K. Xu	136 (2004)	125–149
Li, X., see L. Wang	136 (2004)	349–362
Liao, H.Y. and G.T. Herman, Automated estimation of the parameters of Gibbs priors to be used in binary tomography	139 (2004)	149–170
Liestman, A.L., see R. Labahn	137 (2004)	125–126
Lin, K.-S., see T.-S. Fu	131 (2003)	673–680
Lin, Y.-B., Z. Miller, M. Perkel, D. Pritikin and I.H. Sudborough, Expansion of layouts of complete binary trees into grids	131 (2003)	611–642
Ling, A.C.H., see G. Ge	131 (2003)	643–650
Ling, A.C.H., see H.-D.O.F. Gronau	138 (2004)	65–77
Lipták, Z., see M. Cieliebak	137 (2004)	27–46
Litsyn, S., see G. Cohen	131 (2003)	689–690
Liu, G. and W. Zang, f-Factors in bipartite (mf)-graphs	136 (2004)	45–54
Liu, H., Mei Lu and F. Tian, Neighborhood unions and cyclability of graphs	140 (2004)	91–101
Liu, Y., see J. Chen	136 (2004)	1–1
Liying, K., see S. Erfang	136 (2004)	83–85
Lodi, E., see P. Flocchini	137 (2004)	197–213
Lohou, C. and G. Bertrand, A 3D 12-subiteration thinning algorithm P-simple points	139 (2004)	171–195
Loparev, D.V., see O.V. Borodin	135 (2004)	31–39
Lou, D. and Q. Yu, Connectivity of k-extendable graphs with large k	136 (2004)	55–61
Lozin, V. and D. de Werra, Special issue on stability in graphs and related topics	132 (2003)	1–2
Lozin, V.V., see G. Alexe	132 (2003)	27–46
Lozin, V.V., see M.U. Gerber	132 (2003)	121–136
Lozin, V.V., see R. Boliac	131 (2003)	567–575
Lozin, V.V., see V.E. Alekseev	135 (2004)	17–330
Lu, Mei, see H. Liu	140 (2004)	91–101
Luccio, F., see P. Flocchini	137 (2004)	197–213
Ma, B., see U. Keich	138 (2004)	253–263
Ma, S., see W. Li	136 (2004)	23–43
Macula, A.J., V.V. Rykov and S. Yekhanin, Trivial two-stage group testing for complexes using almost disjunct matrices	137 (2004)	97–107
Maffioli, F., see M. Bruglieri	137 (2004)	311–341
Maffioli, F., see P. Cappanera	133 (2003)	3–28
Maffioli, F., see R. Cordone	134 (2004)	51–65
Maffray, F., see C.T. Hoàng	138 (2004)	117–132
Mahadev, N.V.R., see C.T. Hoàng	138 (2004)	117–132
Makhnev, A.A. and D.V. Paduchikh, On the structure of connected locally $GQ(3,9)$-graphs	135 (2004)	143–156
Malyugin, S.A., On a lower bound on the number of perfect binary codes	135 (2004)	157–160
Malyugin, S.A., On enumeration of the perfect binary codes of length 15	135 (2004)	161–181
Mandrescu, E., see V.E. Levit	132 (2003)	163–174
Mansini, R., M. Grazia Speranza and Z. Tuza, Scheduling groups of tasks with precedence constraints on three dedicated processors	134 (2004)	141–168
Marchenkov, S.S., A-classification of idempotent functions of many-valued logic	135 (2004)	183–203
Markenzon, L., see O. Vernet	136 (2004)	341–348

McMahan, H.B. and A. Proskurowski, Multi-source spanning trees: algorithms for minimizing source eccentricities 137 (2004) 215–224
Meloni, C., see P. Detti 136 (2004) 197–215
Miller, Z., see Y.-B. Lin 131 (2003) 611–642
Mishra, S. and K. Sikdar, On approximability of linear ordering and related NP-optimization problems on graphs 136 (2004) 249–269
Mitra, G., see N. Gülpinar 137 (2004) 359–372
Miyakawa, K. and H. Narushima, Lattice-theoretic properties of MPR-posets in phylogeny 134 (2004) 169–192
Mizuki, T., H. Shizuya and T. Nishizeki, Characterization of optimal key set protocols 131 (2003) 213–236
Mosca, R., Some results on maximum stable sets in certain P_5-free graphs 132 (2003) 175–183
Mosca, R., see A. Brandstädt 132 (2003) 47–65
Müller, H., see F.V. Fomin 134 (2004) 105–128
Müller, H., see H.-O. Le 131 (2003) 199–212
Müller, H., see V. Bouchitté 136 (2004) 183–196
Mundici, D., see F. Cicalese 137 (2004) 1–2
Murota, K. and A. Shioura, Quasi M-convex and L-convex functions—quasiconvexity in discrete optimization 131 (2003) 467–494
Murota, K. and A. Tamura, New characterizations of M-convex functions and their applications to economic equilibrium models with indivisibilities 131 (2003) 495–512
Nagamochi, H. and K. Okada, A faster 2-approximation algorithm for the minmax p-traveling salesmen problem on a tree 140 (2004) 103–114
Nagashima, H. and K. Yamazaki, Hardness of approximation for non-overlapping local alignments 137 (2004) 293–309
Nagy, A., see A. Kuba 139 (2004) 137–148
Nakamura, M., see Y. Okamoto 131 (2003) 523–533
Narayanan, H., A note on the minimization of symmetric and general submodular functions 131 (2003) 513–522
Narayanan, H., see M.P. Desai 131 (2003) 299–310
Narayanan, H., see S.B. Patkar 131 (2003) 535–553
Narayanan, L. and Y. Tang, Worst-case analysis of a dynamic channel assignment strategy 140 (2004) 115–141
Narushima, H., see K. Miyakawa 134 (2004) 169–192
Nasini, G.L., see N.E. Aguilera 134 (2004) 193–212
Nishizeki, T., see T. Mizuki 131 (2003) 213–236
Nomura, K., see T. Yamada 137 (2004) 225–237
Nowakowski, R., see A. Finbow 132 (2003) 97–108
Nurmela, K.J., Upper bounds for covering arrays by tabu search 138 (2004) 143–152
Oellermann, O.R., see M.A. Henning 140 (2004) 143–153
Oertel, P., see Th. Epping 136 (2004) 217–226
Okada, K., see H. Nagamochi 140 (2004) 103–114
Okamoto, Y., Traveling salesman games with the Monge property 138 (2004) 349–369
Okamoto, Y. and M. Nakamura, The forbidden minor characterization of line-search antimatroids of rooted digraphs 131 (2003) 523–533
Okamoto, Y., see K. Kashiwabara 131 (2003) 449–465
Okol'nishnikova, E.A., Comparing the sizes of nondeterministic branching read-k-times programs 135 (2004) 205–222
Oriolo, G., Clique family inequalities for the stable set polytope of quasi-line graphs 132 (2003) 185–201
Orlov, V.A., Complexity of implementing functions of k-valued logic by circuits and formulas in functionally complete bases 135 (2004) 223–233
Östergård, P., see H. Haanpää 138 (2004) 99–106
Östergård, P.R.J., see P. Kaski 138 (2004) 133–141
Packer , A., Polynomial-time approximation of largest simplices in V-polytopes 134 (2004) 213–237
Paduchikh, D.V., see A.A. Makhnev 135 (2004) 143–156

Pagli, L., see P. Flocchini	137 (2004)	197–213
Patkar, S.B. and H. Narayanan, Improving graph partitions using submodular functions	131 (2003)	535–553
Patkar, S.B., see M.P. Desai	131 (2003)	299–310
Peeters, R., The maximum edge biclique problem is NP-complete	131 (2003)	651–654
Pei, C., see B. Yang	136 (2004)	151–157
Peled, U.N. and U. Rotics, Equistable chordal graphs	132 (2003)	203–210
Peled, U.N., see E. Korach	132 (2003)	149–162
Penna, P., see P. Crescenzi	137 (2004)	237–266
Perezhogin, A.L., On cyclic $\langle m,n \rangle$-enumerations	135 (2004)	235–243
Perkel, M., see Y.-B. Lin	131 (2003)	611–642
Pesch, E., see J. Błażewicz	134 (2004)	1–24
Petch, R.J. and S. Salhi, A multi-phase constructive heuristic for the vehicle routing problem with multiple trips	133 (2003)	69–92
Petreschi, R., see I. Finocchi	136 (2004)	227–247
Peyer, S., M. Zachariasen and D. Grove Jørgensen, Delay-related secondary objectives for rectilinear Steiner minimum trees	136 (2004)	271–298
Pickl, S., see U. Faigle	136 (2004)	159–160
Pisaruk, N.N., A fully combinatorial 2-approximation algorithm for precedence-constrained scheduling a single machine to minimize average weighted completion time	131 (2003)	655–663
Pitteloud, P., On the log-concavity of sequences arising from integer bases	138 (2004)	153–175
Plataniotis, K.N., see M. Szczepanski	139 (2004)	283–305
Plummer, M.D., see A. Finbow	132 (2003)	97–108
Ponty, J.-L., see D. Giammarresi	134 (2004)	317–337
Potapov, V.N., Redundancy estimates for the Lempel–Ziv algorithm of data compression	135 (2004)	245–254
Pott, A., Nonlinear functions in abelian groups and relative difference sets	138 (2004)	177–193
Potts, C.N., see R.W. Eglese	133 (2003)	1–2
Prisner, E., see R. Labahn	137 (2004)	125–126
Pritikin, D., see Y.-B. Lin	131 (2003)	611–642
Proskurowski, A., see A.M. Farley	137 (2004)	159–171
Proskurowski, A., see H.B. McMahan	137 (2004)	215–224
Proskurowski, A., see H.S. Connamacher	131 (2003)	113–127
Pržulj, N., D.G. Corneil and E. Köhler, Hereditary dominating pair graphs	134 (2004)	239–261
Qian, J. and F. Zhang, Expanding and forwarding parameters of product graphs	136 (2004)	63–82
Quintero, A., see R. Ayala	139 (2004)	5–30
Rabinoff , J., Hybrid grids and the Homing Robot	140 (2004)	155–168
Randerath, B. and I. Schiermeyer, 3-Colorability $\in \mathscr{P}$ for P_6-free graphs	136 (2004)	299–313
Raspaud, A., see G. Fertin	137 (2004)	173–196
Ray, R., see M. Smid	139 (2004)	253–264
Rechnitzer, A. and E.J.J. van Rensburg, Exchange relations, Dyck paths and copolymer adsorption	140 (2004)	49–71
Recker, F., Searching in trees	140 (2004)	169–183
Reveillés, J.-P., see D. Coeurjolly	139 (2004)	31–50
Rigo, M., The commutative closure of a binary slip-language is context-free: a new proof	131 (2003)	665–672
Romanov, A.M., On nonsystematic perfect binary codes of length 15	135 (2004)	255–258
Rosenfeld, A., see R. Klette	139 (2004)	197–230
Rosenfeld, A., see S. Fourey	139 (2004)	1–3
Rosenmüller, J. and P. Sudhölter, Cartels via the modiclus	134 (2004)	263–302
Rotics, U., see U.N. Peled	132 (2003)	203–210
Ryjáčček, Z., see R.J. Faudree	132 (2003)	79–84
Rykov, V.V., see A.J. Macula	137 (2004)	97–107
Salhi, S., see R.J. Petch	133 (2003)	69–92

Salimov, F.I., Finitely generated distribution algebras	135 (2004)	259–265
Sampels, M., Vertex-symmetric generalized Moore graphs	138 (2004)	195–202
Santoro, N., see P. Flocchini	137 (2004)	197–213
Savelsbergh, M.W.P., see S.P.M. van Hoesel	133 (2003)	103–121
Schaathun, H.G., see G. Cohen	131 (2003)	689–690
Schelp, R.H., see R.J. Faudree	132 (2003)	79–84
Schiermeyer, I., see B. Randerath	136 (2004)	299–313
Schindl, D., see M.U. Gerber	132 (2003)	109–119
Schreyer, J. and H. Walther, Edge-oblique polyhedral graphs	136 (2004)	315–327
Schumacher, U., see S. Hartmann	138 (2004)	107–116
Serdyukov, A.I., see E.Kh. Gimadi	135 (2004)	105–111
Shamir, R. and R. Sharan, A fully dynamic algorithm for modular decomposition and recognition of cographs	136 (2004)	329–340
Sharan, R., see R. Shamir	136 (2004)	329–340
Sheng, L., see M.J. Golin	140 (2004)	35–48
Shenmaier, V.V., A greedy algorithm for maximizing a linear objective function	135 (2004)	267–280
Shenmaier, V.V., A greedy algorithm for some classes of integer programs	133 (2003)	93–101
Shioura, A., Fast scaling algorithms for M-convex function minimization with application to the resource allocation problem	134 (2004)	303–316
Shioura, A., see K. Murota	131 (2003)	467–494
Shizuya, H., see T. Mizuki	131 (2003)	213–236
Sholomov, L.A., On complexity of minimization and compression problems for models of sequential choice	135 (2004)	281–300
Sikdar, K., see S. Mishra	136 (2004)	249–269
Šlapal, J., A digital analogue of the Jordan curve theorem	139 (2004)	231–251
Smid, M., R. Ray, U. Wendt and K. Lange, Computing large planar regions in terrains, with an application to fracture surfaces	139 (2004)	253–264
Smolka, B., see M. Szczepanski	139 (2004)	283–305
Spinrad, J.P., Recognizing quasi-triangulated graphs	138 (2004)	203–213
Sterna, M., see J. Błażewicz	134 (2004)	1–24
Stewart, L., see E. Čenek	131 (2003)	77–91
Stoye, J., see M. Cieliebak	137 (2004)	27–46
Strusevich, V.A., see H. Kellerer	133 (2003)	45–68
Strusevich, V.A., see R.W. Eglese	133 (2003)	1–2
Sudborough, I.H., see Y.-B. Lin	131 (2003)	611–642
Sudhölter, P., see J. Rosenmüller	134 (2004)	263–302
Svalbe , I., Sampling properties of the discrete radon transform	139 (2004)	265–281
Swart, H.C., see E. Dahlhaus	131 (2003)	151–167
Szczepanski, M., B. Smolka, K.N. Plataniotis and A.N. Venetsanopoulos, On the distance function approach to color image enhancement	139 (2004)	283–305
Szegő, L., see A. Frank	131 (2003)	347–371
Takabatake, T., see K. Kashiwabara	131 (2003)	433–448
Tamir, A., see N. Halman	140 (2004)	185–206
Tamura, A., see K. Murota	131 (2003)	495–512
Tan, R.B., see H.L. Bodlaender	131 (2003)	3–9
Tan X., Approximation algorithms for the watchman route and zookeeper's problems	136 (2004)	363–376
Tang, Y., see L. Narayanan	140 (2004)	115–141
Telle, J.A., see A.H. Gebremedhin	131 (2003)	179–198
Thilikos, D.M., see F.V. Fomin	131 (2003)	323–335
Thomassé, S., see J. Bang-Jensen	131 (2003)	555–559
Tian, F., see H. Liu	140 (2004)	91–101
Todinca, I., see V. Bouchitté	131 (2003)	11–37
Todinca, I., see V. Bouchitté	136 (2004)	183–196
Tóth, C.D., Illuminating labyrinths	138 (2004)	215–228
Tougne, L., see D. Coeurjolly	139 (2004)	31–50

Tougne, L., see F. Feschet	139 (2004)	51–63
Tovey, C.A., Non-approximability of precedence-constrained sequencing to minimize setups	134 (2004)	351–360
Tromp, J., see U. Keich	138 (2004)	253–263
Tuza, Z., see R. Mansini	134 (2004)	141–168
Ueno, S., see T. Yamada	137 (2004)	225–237
Vaccaro, U., see F. Cicalese	137 (2004)	1–2
Vajnovszki, V., see J.-L. Baril	140 (2004)	207–221
van de Leensel, R.L.M.J., see S.P.M. van Hoesel	133 (2003)	103–121
van Hoesel, S.P.M., A.M.C.A. Koster, R.L.M.J. van de Leensel and M.W.P. Savelsbergh, Bidirected and unidirected capacity installation in telecommuni-cation networks	133 (2003)	103–121
van Leeuwen, J., see H.L. Bodlaender	131 (2003)	3–9
van Rensburg, E.J.J., see A. Rechnitzer	140 (2004)	49–71
Vanicat, R., see B. Courcelle	131 (2003)	129–150
Vasil'eva , A.Yu., Local spectra of perfect binary codes	135 (2004)	301–307
Venetsanopoulos, A.N., see M. Szczepanski	139 (2004)	283–305
Vernet, O. and L. Markenzon, Solving problems for maximal reducible flowgraphs	136 (2004)	341–348
Vince, A., The integrity of a cubic graph	140 (2004)	223–239
Vrťo, I., see S. Dobrev	137 (2004)	155–158
Walther, H., see J. Schreyer	136 (2004)	315–327
Wang, H. and Q. Xu, Completeness of temporal logics over infinite intervals	136 (2004)	87–103
Wang, J. and X.-S. Gao, An algorithm for solving partial differential parametric systems	136 (2004)	105–116
Wang, L., X. Li and S. Zhang, Families of integral trees with diameters 4, 6, and 8	136 (2004)	349–362
Wegener, I., BDDs—design, analysis, complexity, and applications	138 (2004)	229–251
Welzl, E., see M. Cieliebak	137 (2004)	27–46
Wen-An, L. and N. Zan-Kan, Optimal detection of two counterfeit coins with two-arms balance	137 (2004)	267–291
Wendt, U., see M. Smid	139 (2004)	253–264
Werner, F., see J. Błażewicz	134 (2004)	1–24
Wiener, G., Recognition problems and communication complexity	137 (2004)	109–123
Windisch, K., see A.M. Farley	137 (2004)	159–171
Woeginger, G.J., On the approximability of average completion time scheduling under precedence constraints	131 (2003)	237–252
Wood, D., see D. Giammarresi	134 (2004)	317–337
Xu, G.-H., On unicyclic graphs whose second largest eigenvalue dose not exceed 1	136 (2004)	117–124
Xu, K. and W. Li, On the average similarity degree between solutions of random k-SAT and random CSPs	136 (2004)	125–149
Xu, Q., see H. Wang	136 (2004)	87–103
Yamada, T., K. Nomura and S. Ueno, Sparse networks tolerating random faults	137 (2004)	225–237
Yamazaki, K., see H. Nagashima	137 (2004)	293–309
Yan, W. and F. Zhang, Heredity of the index of convergence of the line digraph	131 (2003)	681–688
Yang, B., T. Zhang and C. Pei, The effect of side-information on smooth entropy	136 (2004)	151–157
Yao, H., see H. Zhang	134 (2004)	339–350
Yekhanin, S., see A.J. Macula	137 (2004)	97–107
Yeo, A., see J. Bang-Jensen	136 (2004)	161–171
Yong, X., see M.J. Golin	140 (2004)	35–48
Yu, Q., see D. Lou	136 (2004)	55–61
Zachariasen, M., see S. Peyer	136 (2004)	271–298
Zang, W., see G. Liu	136 (2004)	45–54

Zan-Kan, N., see L. Wen-An	137 (2004)	267–291
Zappala, D., see A.M. Farley	137 (2004)	159–171
Žerovnik, J., see B. Zmazek	136 (2004)	377–386
Zha, R., see H. Zhang	134 (2004)	339–350
Zhang, F., see J. Qian	136 (2004)	63–82
Zhang, F., see W. Yan	131 (2003)	681–688
Zhang, H., R. Zha and H. Yao, Z-transformation graphs of maximum matchings of plane bipartite graphs	134 (2004)	339–350
Zhang, S., see L. Wang	136 (2004)	349–362
Zhang, T., see B. Yang	136 (2004)	151–157
Zhang, Y., see M.J. Golin	140 (2004)	35–48
Zhao, Y., X. Deng, C.H. Lee and H. Zhu, $(2+f(n))$-SAT and its properties	136 (2004)	3–11
Zhu, H., see Y. Zhao	136 (2004)	3–11
Ziadi, D., see D. Giammarresi	134 (2004)	317–337
Zmazek, B. and J. Žerovnik, The obnoxious center problem on weighted cactus graphs	136 (2004)	377–386
Zverovich, I.E., Minimum degree algorithms for stability number	132 (2003)	211–216
Zverovitch, A., see N. Gülpinar	137 (2004)	359–372